

Twoja Infrastruktura IT

netf.pl

NETF, specjalizujemy się w sprzedaży zaawansowanej infrastruktury IT. Znajdą tu Państwo szeroki asortyment produktów od czołowych światowych producentów sprzętu i oprogramowania IT, w tym H3C, Huawei, Cisco, Juniper, Fortinet, a także Dell, IBM, CommVault i ESET. Dzięki współpracy z tymi renomowanymi partnerami, NETF zapewnia swoim klientom dostęp do najnowocześniejszych rozwiązań technologicznych.

**Bezpieczeństwo,
Efektywność,
Optymalizacja**



Access Point U6 Pro



Mechanical

| | |
|--------------------|---|
| Dimensions | Ø197 x 35 mm (Ø7.8 x 1.4") |
| Weight | Without mount: 460 g (1 lb) With mount: 600 g (1.3 lb) |
| Enclosure material | Polycarbonate |
| Mount material | Stainless steel (SUS304) |
| Weatherproofing | IP54 |

Hardware

| | | |
|-------------------------|--|-----------------------|
| Networking interface | (1) GbE RJ45 port | |
| Management interface | Ethernet Bluetooth | |
| Power method | PoE | |
| Power supply | UniFi PoE switch 48V, 0.5A PoE adapter (optional) | |
| Supported voltage range | 44–57V DC | |
| Max. power consumption | 13W | |
| Max. TX power | 2.4 GHz | 22 dBm |
| | 5 GHz | 26 dBm |
| MIMO | 2.4 GHz | 2 x 2 (UL MU-MIMO) |
| | 5 GHz | 4 x 4 (DL/UL MU-MIMO) |
| Throughput rate | 2.4 GHz | 573.5 Mbps |
| | 5 GHz | 4.8 Gbps |
| Antenna gain | 2.4 GHz | 4 dBi |
| | 5 GHz | 6 dBi |
| LEDs | White/blue | |
| Button | Factory reset | |
| Mounting | Wall/ceiling (included) | |
| Operating temperature | -30 to 60° C (-22 to 140° F) | |
| Operating humidity | 5 to 95% noncondensing | |
| Certifications | CE, FCC, IC, MIC | |

Software

| | |
|-------------------------|---|
| WiFi standards | 802.11a/b/g WiFi 4/WiFi 5/WiFi 6 |
| Wireless security | WPA-PSK, WPA-Enterprise (WPA/WPA2/WPA3) |
| BSSID | 8 per radio |
| VLAN | 802.1Q |
| Advanced QoS | Per-user rate limiting |
| Guest traffic isolation | Supported |



| | |
|--------------------|------|
| Concurrent clients | 300+ |
| Zero wait DFS | Yes |

Supported Data Rates

| | |
|-------------------|---|
| 802.11a | 6, 9, 12, 18, 24, 36, 48, 54 Mbps |
| 802.11b | 1, 2, 5.5, 11 Mbps |
| 802.11g | 6, 9, 12, 18, 24, 36, 48, 54 Mbps |
| 802.11n (WiFi 4) | 6.5 Mbps to 600 Mbps (MCS0 - MCS31, HT 20/40) |
| 802.11ac (WiFi 5) | 6.5 Mbps to 3.4 Gbps (MCS0 - MCS9 NSS1/2/3/4, VHT 20/40/80/160) |
| 802.11ax (WiFi 6) | 7.3 Mbps to 4.8 Gbps (MCS0 - MCS11 NSS1/2/3/4, HE 20/40/80/160) |

